





UN38.3 TEST REPORT UN38.3 检测报告

Report No.:

报告编号:

CMC210915012

Name of sample:

样品名称:

Li-ion Battery 锂离子电池

Model:

型号:

JP24-7.5SS

Type:

规格:

21.6V, 7.5Ah, 162Wh

Client:

委托单位:

SHENZHEN WIVITOUCH TECHNOLOGY CO., LTD. 深圳市铭泰伟业科技有限公司

Classification

of test:

检测类别:

Commission Test

委托检测

Tested:

检测:

May Huang 黃雅

Approved:

Reviewed:

Meiko Ma马方威

审核: Date of

issue: 签发日期: 2021.09.29

Seal of CMC: CMC 印章:

CMC Testing International (Shenzhen) Co., Ltd.

众检检验认证 (深圳) 有限公司

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 1 / 19



TEST REPORT 检测报告

| 位次1人口 | | | | | |
|--|--|--|------------------|--|-------------------------------|
| Name of Samples 样品名称 | Li-ion Battery 锂离子电池 | | Model 型号 | JP24-7.5SS | 3 |
| Commissioner 委托单位 | | WIVITOUCH TECHN 业科技有限公司 | IOLOGY CO., LTD. | | |
| Commissioner's Address 委托单位地址 | Shenzhen, Cl | uilding, YinHuaZhi Hi nina 区公明街道将石石围 | | , | ing, Bao'an, |
| Manufacturer 制造商 | Shenzhen Jia 深圳市建鹏科 | npeng Technology (技有限公司 | Co., LTD | | |
| Manufacturer's Address 制造商地址 | 3th Floor, No. 6, Shukeng Street, Yanwu Village, Dalingsh 东莞市大岭山镇颜屋村树坑街 6 号三楼 | | | ngshan Town, Don | gguan, China |
| Manufacturer's Contact Telephone | +86-1 | 8688725878 | E-mail 邮箱 | luckyxu200 | 09@163.com |
| 制造商联系电话 | | | Web 网址 | | |
| Trade Mark 商标 | | Shape 形状 | Prismatic 棱柱形 | Size 尺寸 (L×W×T) | (170.0×78.0×42.0) mm |
| Nominal Voltage 标称电压 | 21.6V | Charge Voltage 充电电压 | 25.2V | Rated Capacity 额定容量 | 7.5Ah |
| Nominal Charge Current 标称充电电流 | 1.5A | Maximum Charge Current 最大充电电流 | 7.5A | End of Charge Current 结束充电电流 | 150mA |
| Nominal Discharge Current 标称放电电流 | 5A | Maximum Discharge Current 最大放电电流 | 7.5A | Discharge Cut-off Voltage 放电截止电压 | 16.8V |
| Cell Model 电池型号 | 18650 <mark>C-25L</mark> | Cell Nominal Voltage 电池标称电压 | 3.6V | Cell Rated Capacity 电池额定容量 | 2.5Ah |
| Cells Number 电池数量 | 18PCS | Sample Receiving Date 样品接收日期 | 2021.09.15 | Testing Date 测试日期 | 2021.09.15 — 2021.09.29 |
| Test conclusion 检测结论 | The test results are qualified. 检测结果为合格。 | | | | |

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 2 / 19



Test Standard 检测标准

UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS Manual of Tests and Criteria" Seventh revised edition (ST/SG/AC.10/11/Rev.7).

联合国《关于危险货物运输的建议书 试验和标准手册》第七修订版 (ST/SG/AC.10/11/Rev.7)。

Description and illustration of the sample: The sample's status is good.

样品说明及描述:样品状况良好。

| Test item 检测项目 | Sample No. 样品编号 | State 状态 | Remark 备注 |
|-------------------|--------------------|--|--------------|
| Test 1 ~ Test 5 | B001~B004 | First cycle fully charged 第一个充电周期,完全充电 | |
| rest 1 % rest 5 | B005~B008 | 25 cycles fully charged 第25个充电周期,完全充电 | |
| Test 6 | C001~C005 | First cycle 50% Capacity 第一个充 <mark>电周期,50%容量</mark> | |
| rest 0 | C006~C010 | 25 cycle 50% Capacity 第25个充电周期,50%容量 | |
| Took 7 | B009~B012 | First cycle fully charged 第一个充电周期,完全充电 | |
| Test 7 | B013~B016 | 25 cycles fully charged 第25个充电周期,完全充电 | |
| Test 8 | C011~C020 | First cycle fully charged 第一个充电周期,完全放电 | |
| 1651.0 | C021~C030 | 25 cycl <mark>es fully charg</mark> ed 第25个充电 <mark>周期,完全</mark> 放电 | |

CXXX is used as the sample number of cells SN210915012CXXX, "X" is 0~9.

CXXX 代表电芯样板编号 SN210915012CXXX, X=0~9。

BXXX is used as the sample number of batteries SN210915012BXXX, "X" is 0~9

BXXX 代表电池包样板编号 SN210915012BXXX, X=0~9。

| Description o | f the | deviation | from the | standard, if any: | |
|---------------|-------|-----------|----------|-------------------|--|
| | | | - | | |

检测结果不符合标准项的说明:

Test environment conditions:

20±5°C

检测环境条件:

Remarks:

备注: ---

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 3 / 19



| ST/SG/AC.10/11/Rev.7/Section 38.3 | | | |
|-----------------------------------|--|--|---------------|
| Clause 章节 | Requirements 标准要求 | Result 测试结果 | Verdict 判定 |
| 38.3.4 | Procedure 检测步骤 | | |
| 38.3.4.1 | 1 Test 1: Altitude simulation 检测 1: 高度模拟 | | |
| | Test cells and batteries shall be stored at a pressure of 11.6kPa or less for at least six hours at ambient temperature (20±5°C). 将电池和电池组在温度为 20±5°C,大气压力为不大于 11.6kPa 的环境中贮存不少于 6 小时。 | | |
| | Requirements 标准要求: 1) Cells and batteries Mass loss limit reference: Table 38.3.1 样品质量损失限值参考:表 38.3.1 2) Open circuit voltage not less than 90%, The requirement relating to voltage is not applicable to test cells and batteries at full discharged states. 样品试验后开路电压应不低于试验前开路电压的 90%,此要求不适用于完全放完电的电池或电池组。 3) No leakage, no venting, no disassembly, no rupture and no fire.样品(电池)应无漏液、无排气、无解体、无破裂以及无起火现象的发生。 | The samples B001~B008: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 B001~B008 的样品: 无漏液、无排气、无解体、无破裂以及无起火现象。 The data is shown in Test T.1 数据见表 T.1 | Pass 合格 |

检测 2: 热冲击

Test cells and batteries are to be stored for

电池和电池组存储条件如下:

1) For small cells and batteries: one temperature cycle: 72±2°C (6h) ~ -40±2°C (6h) 对于小型电池和电池组: 一次温度循环为 72±2°C (6h) ~ -40±2°C (6h)

For large cells and batteries: one temperature cycle: 72±2°C (12h) ~ -40±2°C (12h)

TO large cells and batteries. One temperature cycle. 7212 O (1211) 1 4012 O (1211)

对于大型电池和电<mark>池组:一次温度循</mark>环为 72±2°C (12h) ~ -40±2°C (12h)

- 2) The maximum time interval between test temperature extremes is 30minutes. 温度转换最大间隔时间为 30min。
- 3) This procedure is to be repeated 10 times. 重复 10 次循环。
- 4) after which all test cells and batteries are to be stored for 24 hours at ambient temperature (20±5°C). 循环结束后,电池和电池组在 20±5°C 的条件下搁置 24 小时。

Requirement 标准要求:

- 1) Cells and batteries Mass loss limit reference: Table 38.3.1 样品质量损失限值参考:表 38.3.1
- 2) Open circuit voltage not less than 90%, The requirement relating to voltage is not applicable to test cells and batteries at full discharged states.

样品试验后开路电压应不低于试验前开路电压的 90 %,此要求不适用于完全放完电的电池和电池组。

3) No leakage, no venting, no disassembly, no rupture and no fire. 样品(电池)应无漏液、无排气、无解体、无破裂以及无起火现象的发生。

The samples B001~B008: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 B001~B008 的样品: 无漏液、无排气、无 解体、无破裂以及无起火现 象。

The data is shown in Table T.2 数据见表 T.2

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 4 / 19

Pass 合格



| 章节 38.3.4.3 | ST/SG/AC.10/11/Rev.7/Section | 20.2 | |
|-------------|--|---|---------------|
| 38.3.4.3 | | 30.3 | |
| | Requirements 标准要求 | Result 测试结果 | Verdict 判定 |
| | Test 3: Vibration 检测 3: 振动 | | |
| | | eep between 7Hz and 200Hz 7Hz 为一个循环,一个循环持续 a of 1gn is maintained until 18Hz am total excursion) and the approximately 50Hz). A peak acreased to 200Hz. are, 直到达到 18Hz。然后将 agn的峰值加速度(大约 50Hz)。 aintained until 18Hz is reached. aursion) and the frequency allely 25Hz). A peak acceleration and allely 25Hz). | Pass 合格 |
| | 不适用于完全放完电的电池和电池组。 3) No leakage, no venting, no disassembly, no rupture and no fire. 样品(电池)应无漏液、无排气、无解体、无破裂以及无起火 | The data is shown in Table T.3 数据见表 T.3 | |

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 5 / 19



| | ST/SG/AC.10/11/Rev.7/Section 3 | 8.3 | |
|--------------|---|---|---------------|
| Clause 章节 | Requirements 标准要求 | Result 测试结果 | Verdict 判定 |
| 38.3.4.4 | Test 4: Shock 检测 4: 冲击 | | |
| | 1) Test cells and batteries shall be secured to the testing mach 以稳固的托架固定住每个电池和电池组样品的全部配件表面。 2) Each cell shall be subjected to a half-sine shock of peak acc duration of 6 milliseconds. Large cells may be subjected to a hacceleration of 50gn and pulse duration of 11 milliseconds. 对每个电池以峰值为 150gn的半正弦的加速度撞击,脉冲持续 6度 50gn和脉冲持续时间 11ms 的半正弦波冲击。 Small batteries shall be subjected to a half-sine shock of peak | celeration of 150g _n and pulse alf-sine shock of peak sms,大型电池须经受最大加速 acceleration of 150g _n (or | |
| | Acceleration $(g_n) = \sqrt{\frac{100850}{mass}}$, which is smaller) aneration of $50g_n$ | (or Acceleration(g _n)= $\sqrt{(\frac{30000}{mass})}$, | |
| | which is smaller) and pulse dud pulse duration of 6 millisecond | s, large batteries shall be | |
| | subjected to a half-sine of peak accelration of 11 milliseconds. | | |
| | 对每个电池以峰值为 150gn (或与√(100850)中的较小值)的半正弦 | | |
| | 大型电池须经受最大加速度 50gn(或与√(sooon mass)中的较小值)和服冲击。 3) Each cell or battery shall be subjected to three shocks in the three shocks in the negative direction of three mutually perpent the cell or battery for a total of 18 shocks. 每个电池或电池组须在三个互相垂直的电池安装方位的正方向经受三次冲击,总共经受 18 次冲击。 | positive direction followed by dicular mounting positions of | Pass 合格 |
| | Requirements 标准要求: 1) Cells and batteries Mass loss limit: ≤0.2%. 样品质量损失≤0.2% 2) Open circuit voltage not less than 90%, The requirement relating to voltage is not applicable to test cells and batteries at full discharged states. 样品试验后开路电压应不低于试验前开路电压的 90%,此要求不适用于完全放完电的电池或电池组。 3) No leakage, no venting, no disassembly, no rupture and no fire. 样品(电池)应无漏液、无排气、无解体、无破裂以及无起火现象的发生。 | The samples B001~B008: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 B001~B008 的样品: 无漏液、无排气、无解体、无破裂以及无起火现象。 The data is shown in Table T.4 数据见表 T.4 | |

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 6 / 19



| | ST/SG/AC.10/11/Rev.7/Section 3 | 8.3 | |
|--------------|---|---|---------------|
| Clause 章节 | Requirements 标准要求 | Result 测试结果 | Verdict 判定 |
| 38.3.4.5 | Test 5: External Short Circuit 检测 5: 外部短路 | | |
| | 1) The cell or battery to be tested shall be heated for a period of time necessary to reach a homogeneous stabilized temperature 57±4°C. 加热电池或电池组样品直到温度稳定在 57±4°C 2) The cell or battery shall be subjected to a short circuit condition with a total external resistance of less than 0.1 ohm at 57±4°C, This short circuit condition is continued for at least one hour after the cell or battery external case temperature has returned to 57±4°C. 将样品正负极用小于 0.1Ω 的总电阻回路进行短路,样品的外表温度恢复到 57±4°C 之后保持短路状态 1 小时以上。 3) The cell or battery must be observed for a further six hours for the test to be concluded. 对电池或电池组必须进一步观察 6 个小时才能下结论。 | | Pass 合格 |
| | Requirements 标准要求: 1) Cells external temperature not exceed 170°C. 电池的最高表面温度应不超过 170°C。 2) No disassembly, no rupture and no fire during the test and within six hours after the test. 测试中与测试后 6 小时内无解体、无破裂、无起火。 | The samples B001~B008: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 B001~B008 的样品: 无解体、无破裂以及无起火现象。 The data is shown in Table T.5 数据见表 T.5 | |
| 38.3.4.6 | Test 6: Impact / Crush | | Pass |

| 38.3.4.6 | Test 6: Impact / C <mark>rush</mark> 检测 6: 撞击/挤压 | | Pass 合格 |
|----------|--|---|------------|
| | Impact (applicable to cylindrical cells not less than 18mm in dia 撞击(适用于直径 <mark>不小于 18 毫米的</mark> 圆柱形电池) | ameter) | |
| | 1) This test sample cell or component cell is to be placed on a flat smooth surface. 将试验样品用的电池或元件电池放在一个平坦光滑的平面上 2) A 15.8 mm diameter bar is to be placed across the center of the sample, A 9.1kg mass is to be dropped from a height of 61±2.5cm onto the sample. 将一直径为 15.8mm 的不锈钢圆棒横过电池中部放置后,将一质量为 9.1kg 的物体从 61±2.5cm 的高度落向样品。 3) The test sample is to be impacted with its longitudinal axis parallel to the flat surface and perpendicular to the longitudinal axis of the 15.8mm ± 0.1mm diameter curved surface lying across the center of the test sample. Each sample is to be subjected to only a single impact. 接受撞击的试样,纵轴应与平坦的表面平行并与横放在试样中心的直径 15.8±0.1 毫米弯曲表面的纵轴垂直。每一个试样只经受一次撞击。 | | Pass 合格 |
| | Requirements 标准要求: 1) Cells external temperature not exceed 170°C. 电池的最高表面温度应不超过 170°C。 2) No disassembly, no rupture and no fire during the test and within six hours after the test. 测试中与测试后 6 小时内无解体、无破裂、无起火。 | The samples C001~C010: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 C001~C010 的样品: 无解体、无起火现象。The data is shown in Table T.6 数据见表 T.6 | |

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 7 / 19



| | ST/SG/AC.10/11/Rev.7/Section 38.3 | | | | |
|--------------|--|---------------|--|--|--|
| Clause 章节 | RequirementsResult标准要求测试结果 | Verdict 判定 | | | |
| | Crush (applicable to prismatic, pouch, coin/button cells and cylindrical cells less than 18mm in diameter). 挤压(适用于棱柱形、袋装、硬币/纽扣电池和直径小于 18 毫米的圆柱形电池)。 1) A cell or component cell is to be crushed between two flat surfaces. The crushing is to be | | | | |
| | gradual with a speed of approximately 1.5cm/s at the first point of contact. The crushing is to be continued until the first of the three options below is reached. 将电池或元件电池放在两个平面之间挤压,挤压力度逐渐加大,在第一个接触点上的速度大约为 1.5 厘米/秒。挤压持续进行,直到出现以下三种情况之一: (a) The applied force reaches 13kN ± 0.78kN. 施加的力达到 13 千牛顿±0.78 千牛顿。 (b) The voltage of the cell drops by at least 100mV. | | | | |
| | 电池的电压下降至少 100 毫伏。 (c) The cell is deformed by 50% or more of its original thickness. 电池变形达原始厚度的 50%或以上。 2). A prismatic or pouch cell shall be crushed by applying the force to the widest side. A button/coin cell shall be crushed by applying the force on its flat surfaces. For cylindrical cells, the crush force shall be applied perpendicular to the longitudinal axis. 校柱形或袋装电池应从最宽的一面施压。纽扣/硬币形电池应从其平坦表面施压。圆柱形电池应从与纵轴垂直的方向施压。 | N/A 不适用 | | | |
| | Requirements 标准要求: 1) Cells external temperature not exceed 170°C. 电池的最高表面温度应不超过 170°C。 2) No disassembly, no rupture and no fire during the test and within six hours after the test. 测试中与测试后 6 小时内无解体、无破裂、无起火。 | | | | |

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 8 / 19



| | | report res. Givez res | |
|--------------|---|--|---------------|
| | ST/SG/AC.10/11/Rev.7/Section 3 | 38.3 | |
| Clause 章节 | Requirements 标准要求 | Result 测试结果 | Verdict 判定 |
| | | | |
| 38.3.4.7 | Test 7: Overcharge 检测 7: 过充电 | | |
| | 1) The charge current shall be twice the manufacturer's recommon charge current. 以制造商建议的最大持续充电电流的两倍对样 2) The minimum voltage of the test shall be as follows: 试验的 | 品充电。 | |
| | a) When the manufacturer's recommended charge voltage is reminimum voltage of the test shall be the lesser of two times the the battery or 22V. 制造商建议的充电电压不大于 18V 时,试验的最小电压应是电汽两者中的较小者。b) when the manufacturer's recommended charge voltage is nevoltage of the test shall be 1.2 times the maximum charge volt制造商建议的充电电压大于 18V 时,试验的最小电压应为最大3) Tests are to be conducted at ambient temperature 20±5°C,24 hours. 试验应在环境温度(20±5°C)下进行。进行试验的图 | e maximum charge voltage of 也组最大充电电压的两倍或 22V hore than 18V, the minimum age. 充电电压的 1.2 倍。 The duration of the test shall be | Pass 合格 |
| | Requirements 标准要求: No disassembly and no fire during the test and within seven days after the test. 试验过程中和试验后 7 天内无解体,无起火。 | The samples B009~B016: no disassembly and no fire. 编号为 B009~B016 的样品: 无解体、无起火现象。 The data is shown in Table | |

38,3,4,8 Test 8: Forced discharge

检测 8: 强制放电

Each cell shall be forced discharged at ambient temperature by connecting it in series with a 12V D.C. power supply at an initial current equal to the maximum discharge current specified by the manufacturer.

每个电池应在环境温度(20±5℃)下与 12V 直流电源串联在起始电流等于制造商给定的最大放电电流的条件下强制放电。

The specified discharge current is to be obtained by connecting a resistive load of the appropriate size and rating in series with the test cell. Each cell shall be forced discharged for a time interval (in hours) equal to its rated capacity divided by the initial test current (in ampere).

将适当大小和额定值的电阻负荷与试验电池串联,计算得出给定的放电电流。对每个电池进行强制放电,放电时间(小时)应等于其额定容量除以初始试验电流(安培)。

Requirements 标准要求:

No disassembly and no fire during the test and within seven days after the test.

试验过程中和试验后7天内无解体,无起火。

The samples C011~C030: no disassembly and no fire. 编号为 C011~C030 的样品: 无解体、无起火现象。
The data is shown in Table T.8 数据见表 T.8

T.7 数据见表 T.7

Pass

合格

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 9 / 19



ST/SG/AC.10/11/Rev.7/Section 38.3

General terms and definitions 一般术语与定义

Table 38.3.1:Mass loss limit 表 38.3.1:质量损失限值

| Mass M of cell or battery 电池或电池组质量 M | Mass loss limit 质量损失限值 |
|---|---------------------------|
| M < 1 g | 0.5% |
| 1 g ≤ M ≤75 g | 0.2% |
| M > 75 g | 0.1% |

In order to quantify the mass loss, the following procedure is provided:

Mass loss (%) = $(M_1 - M_2)/M_1 \times 100$

质量损失的量化值,可用以下公式计算:

质量损失(%) = $(M_1 - M_2)/M_1 \times 100$

Where M1 is the mass before the test and M2 is the mass after the test. When mass loss does not exceed the values in Table 38.3.1, it shall be considered as "no mass loss".

式中: M1 是试验前的质量, M2 是试验后的质量。如果质量损失不超过表 38.3.1 所列的数值, 应视为"无质量损失"。

Leakage means the visible escape of electrolyte or other material from a cell or battery or the loss of material (except battery casing, handling devices or labels) from a cell or battery such that the loss of mass exceeds the values in Table 38.3.1.

渗漏是指可以看到的电解<mark>液或者其他物质从电池或</mark>电池组中漏出,或电池或电池组中的物质损失(不包括电池外壳、搬运装置、或标签),质量损失超过表 **38.3.1** 所列的数值。

Venting means the release of excessive internal pressure from a cell or battery in a manner intended by design to preclude rupture or disassembly.

排气是指按设计方式释放电池或电池组内部过高的压力,防止其破裂或解体。

Disassembly means a vent or rupture where solid matter from any part of a cell or battery penetrates a wire mesh screen (annealed aluminium wire with a diameter of 0.25 mm and grid density of 6 to 7 wires per cm) placed 25 cm away from the cell or battery.

解体是指排气或破裂使电<mark>池或电池组任何部</mark>分的固体物质穿过放在离电池或电池 25 cm 处的 丝网筛(直径 0.25 mm 的软铝丝,网格密度每厘米 6 至 7 条铝丝)。

Rupture means the mechanical failure of a cell container or battery case induced by an internal or external cause, resulting in exposure or spillage but not ejection of solid materials.

破裂是指内部或外部原因引起的电池容器或电池组外壳机械损坏,造成内装物暴露或溢出,但无固体喷射。

Fire means that flames are emitted from the test cell or battery.

起火是指试验电池或电池组有火焰冒出。

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 10 / 19



Test Data 检测数据

Table T.1 Altitude simulation (表 T.1) 高度模拟

| Test | | Pre-test 试验前 | | After tes | it 试验后 | | | |
|--------------------------------|-----------|-------------------|----------------------|-------------------|----------------------|--------------------------|------------------------|--------------|
| sample status 检测样品 状态 | No. 编号 | Mass 质量 (g) | Voltage 电压 (V) | Mass 质量 (g) | Voltage 电压 (V) | Mass loss 质量损失 (%) | Change ratio 电压比(%) | Status 结果 |
| First cycle, | B001 | 915.360 | 25.08 | 915.360 | 25.08 | 0.000 | 100.00 | Pass 合格 |
| fully charged | B002 | 918.470 | 25.06 | 918.451 | 25.02 | 0.002 | 99.84 | Pass 合格 |
| state 关为任工 | B003 | 915.840 | 25.02 | 915.840 | 25.02 | 0.000 | 100.00 | Pass 合格 |
| 首次循环 满电状态 | B004 | 916.789 | 25.08 | 916.789 | 25.03 | 0.000 | 99.80 | Pass 合格 |
| 25th cycle, | B005 | 917.560 | 24.98 | 917.560 | 24.98 | 0.000 | 100.00 | Pass 合格 |
| fully charged | B006 | 915.680 | 25.06 | 915.650 | 25.02 | 0.003 | 99.84 | Pass 合格 |
| state | B007 | 916.890 | 25.09 | 916.870 | 25.06 | 0.002 | 99.88 | Pass 合格 |
| 25 次循环 满电状态 | B008 | 915.631 | 25.08 | 915.631 | 25.08 | 0.000 | 100.00 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 22.7C。

After the test, there is no leakage, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无渗漏、无排气、无解体、无破裂和无起火。电压比不小于 90 %。

Table T.2 Thermal test (表 T.2) 温度试验

| Test | | Pre-test | t试验前 | After tes | it 试验后 | | | |
|--------------------------------|-----------|-----------------------|----------------------|-------------------|----------------------|--------------------------|------------------------|--------------|
| sample status 检测样品 状态 | No. 编号 | Mass 质量 (g) | Voltage 电压 (V) | Mass 质量 (g) | Voltage 电压 (V) | Mass loss 质量损失 (%) | Change ratio 电压比(%) | Status 结果 |
| First cycle, | B001 | 915. <mark>360</mark> | 25.08 | 915.330 | 24.74 | 0.003 | 98.64 | Pass 合格 |
| fully charged | B002 | 918. <mark>451</mark> | 25.02 | 918.410 | 24.75 | 0.004 | 98.92 | Pass 合格 |
| state | B003 | 915. <mark>840</mark> | 25.02 | 915.810 | 24.67 | 0.003 | 98.60 | Pass 合格 |
| 首次循环 满电状态 | B004 | 916. <mark>789</mark> | 25.03 | 916.740 | 24.71 | 0.005 | 98.72 | Pass 合格 |
| 25th cycle, | B005 | 917. <mark>560</mark> | 24.98 | 917.540 | 24.72 | 0.002 | 98.96 | Pass 合格 |
| fully charged | B006 | 915. <mark>650</mark> | 25.02 | 915.610 | 24.78 | 0.004 | 99.04 | Pass 合格 |
| state | B007 | 916.870 | 25.06 | 916.820 | 24.76 | 0.005 | 98.80 | Pass 合格 |
| 25 次循环 满电状态 | B008 | 915.6 <mark>31</mark> | 25.08 | 915.600 | 24.72 | 0.003 | 98.56 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 23.8°C。

After the test, there is no leakage, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无渗漏、无排气、无解体、无破裂和无起火。电压比不小于 90 %。

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 11 / 19



Table T.3 Vibration (表 T.3) 振动

Report No.: CMC210915012

| Test | | Pre-test 试验前 | | After test 试验后 | | | | |
|--------------------------------|-----------|-------------------|----------------------|-------------------|--|---------------------------|--------------|---------|
| sample status 检测样品 状态 | No. 编号 | Mass 质量 (g) | Voltage 电压 (V) | Mass 质量 (g) | Mass Voltage 质量损失 ratio 质量 电压 (%) 电压比(% | Change ratio 电压比(%) | Status 结果 | |
| First cycle, | B001 | 915.330 | 24.74 | 915.310 | 24.74 | 0.002 | 100.00 | Pass 合格 |
| fully charged | B002 | 918.410 | 24.75 | 918.410 | 24.68 | 0.000 | 99.72 | Pass 合格 |
| state | B003 | 915.810 | 24.67 | 915.790 | 24.67 | 0.002 | 100.00 | Pass 合格 |
| 首次循环 满电状态 | B004 | 916.740 | 24.71 | 916.740 | 24.71 | 0.000 | 100.00 | Pass 合格 |
| 25th cycle, | B005 | 917.540 | 24.72 | 917.540 | 24.72 | 0.000 | 100.00 | Pass 合格 |
| fully charged | B006 | 915.610 | 24.78 | 915.610 | 24.78 | 0.000 | 100.00 | Pass 合格 |
| state | B007 | 916.820 | 24.76 | 916.800 | 24.70 | 0.002 | 99.76 | Pass 合格 |
| 25 次循环 满电状态 | B008 | 915.600 | 24.72 | 915.600 | 24.72 | 0.000 | 100.00 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 23.9°C。

After the test, there is no leakage, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无渗漏、无排气、无解体、无破裂和无起火。电压比不小于 90 %。

Table T.4 Shock (表 T.4) 冲击

| Test | | Pre-test | : 试验前 | After tes | it 试验后 | | | |
|--------------------------------|-----------|-----------------------|----------------------|-------------------|----------------------|--------------------------|---------------------------|--------------|
| sample status 检测样品 状态 | No. 编号 | Mass 质量 (g) | Voltage 电压 (V) | Mass 质量 (g) | Voltage 电压 (V) | Mass loss 质量损失 (%) | Change ratio 电压比(%) | Status 结果 |
| First cycle, | B001 | 915. <mark>310</mark> | 24.74 | 915.300 | 24.74 | 0.001 | 100.00 | Pass 合格 |
| fully charged | B002 | 918. <mark>410</mark> | 24.68 | 918.410 | 24.68 | 0.000 | 100.00 | Pass 合格 |
| state 首次循环 | B003 | 915. <mark>790</mark> | 24.67 | 915.780 | 24.67 | 0.001 | 100.00 | Pass 合格 |
| 满电状态 | B004 | 916. <mark>740</mark> | 24.71 | 916.740 | 24.71 | 0.000 | 100.00 | Pass 合格 |
| 25th cycle, | B005 | 917. <mark>540</mark> | 24.72 | 917.510 | 24.70 | 0.003 | 99.92 | Pass 合格 |
| fully charged | B006 | 915. <mark>610</mark> | 24.78 | 915.610 | 24.78 | 0.000 | 100.00 | Pass 合格 |
| state | B007 | 916.800 | 24.70 | 916.800 | 24.68 | 0.000 | 99.92 | Pass 合格 |
| 25 次循环 满电状态 | B008 | 915.600 | 24.72 | 915.600 | 24.72 | 0.000 | 100.00 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 24.0°C。

After the test, there is no leakage, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无渗漏、无排气、无解体、无破裂和无起火。电压比不小于 90 %。

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 12 / 19



Table T.5 External short circuit (表 T.5) 外部短路

| Test sample status 检测样品状态 | No. Maximum external temperature (°C) 编号 表面最高温度(°C) | | Status 结果 |
|------------------------------|--|------|--------------|
| | B001 | 58.9 | Pass 合格 |
| First cycle, fully | B002 | 58.6 | Pass 合格 |
| charged state 首次循环满电状态 | B003 | 59.0 | Pass 合格 |
| | B004 | 58.8 | Pass 合格 |
| | B005 | 58.7 | Pass 合格 |
| 25th cycle, fully | B006 | 59.1 | Pass 合格 |
| charged state 25 次循环满电状态 | B007 | 59.3 | Pass 合格 |
| | B008 | 58.9 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 23.3°C。

Test sample external temperature does not exceed 170°C and there is no disassembly, no rupture and no fire during the test and within six hours after the test.

检测样品表面温度不超过 170°C,检测中与检测后 6 小时内无解体、无破裂、无起火。

Table T.6 Impact (表 T.6) 撞击

| Test sample status 检测样品状态 | No. 编号 | Maximum external temperature (°C) 表面最高温度(°C) | Status 结果 |
|------------------------------|-----------|--|--------------|
| | C001 | 83.5 | Pass 合格 |
| First cycle, 50% | C002 | 86.1 | Pass 合格 |
| charged state | C003 | 84.6 | Pass 合格 |
| 首次循环 50% 充电状态 | C004 | 89.2 | Pass 合格 |
| | C005 | 82.8 | Pass 合格 |
| | C006 | 84.9 | Pass 合格 |
| 25th cycle, 50% | C007 | 81.7 | Pass 合格 |
| charged state | C008 | 84.5 | Pass 合格 |
| 25次循环50%充电状态 | C009 | 86.3 | Pass 合格 |
| | C010 | 81.9 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 22.6°C。

Test sample external temperature does not exceed 170°C and there is no disassembly, no rupture and no fire during the test and within six hours after the test.

检测样品表面温度不超过 170℃, 检测中与检测后 6 小时内无解体、无破裂、无起火。

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 13 / 19



Table T.7 Overcharge (表 T.7) 过充电

Report No.: CMC210915012

| Test sample status 检测样品状态 | No. 编号 | Status 结果 |
|----------------------------------|-----------|--------------|
| | B009 | Pass 合格 |
| First cycle, fully charged state | B010 | Pass 合格 |
| 首次循环满电状态 | B011 | Pass 合格 |
| | B012 | Pass 合格 |
| | B013 | Pass 合格 |
| 25th cycle, fully charged state | B014 | Pass 合格 |
| 25 次循环满电状态 | B015 | Pass 合格 |
| | B016 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 23.1°C。

There is no disassembly and no fire during the test and within seven days after the test.

样品在检测中和检测后7天内无解体、无起火。

Table T.8 Forced discharge (表 T.8) 强制放电

| Test sample status | No. | Status |
|---|------|------------------------|
| 检测样品状态 | 编号 | 结果 |
| | C011 | Pass 合格 |
| | C012 | Pass 合格 |
| | C013 | Pass 合格 |
| | C014 | Pass 合格 |
| First cycle, fully discharge <mark>d state</mark> | C015 | Pass 合格 |
| 首次循环完全放电状 <mark>态</mark> | C016 | Pass 合格 |
| | C017 | Pass 合格 |
| | C018 | Pa <mark>ss 合</mark> 格 |
| | C019 | Pass 合格 |
| | C020 | Pass 合格 |
| | C021 | Pass 合格 |
| | C022 | Pass 合格 |
| | C023 | Pass 合格 |
| | C024 | Pass 合格 |
| 25th cycle, fully discharged state | C025 | Pass 合格 |
| 25 次循环完全放电状态 | C026 | Pass 合格 |
| | C027 | Pass 合格 |
| | C028 | Pass 合格 |
| | C029 | Pass 合格 |
| | C030 | Pass 合格 |

Notes 注释: Ambient temperature 环境温度: 23.8°C。

There is no disassembly and no fire during the test and within seven days after the test.

样品在检测中和检测后7天内无解体、无起火。

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 14 / 19



Main Test Apparatus 主要试验仪器设备清单

| | Item 编号 | Equipment name 设备名称 | Model 型号 | Cal. date 校准日期 | Due. date 有效期至 | | | | |
|-------------|--|--|---------------|-------------------|-------------------|--|--|--|--|
| \boxtimes | CMC-YQ-001 | Programmable Temp.& Humi Chamber 可程式恒温恒湿试验箱 | ZZ-K01B | 2021-04-15 | 2022-04-14 | | | | |
| | CMC-YQ-005 | Battery Test System 电池测试系统 | ACTS-20V10A | 2021-04-15 | 2022-04-14 | | | | |
| | CMC-YQ-006 | Battery Extrusion Testing machine 温控型电池挤压试验机 | GX-5067-TSM | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-010 | Battery short-circuit tester 温控型电池短路试验机 | GX-6055-B5HL | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-011 | Battery weight impact testing machine 电池重物冲击试验机 | ZZ-A11 | 2021-04-15 | 2022-04-14 | | | | |
| | CMC-YQ-012 | Low Altitude Simulation Tester 电池低压高空模拟试验机 | GX-3020-ZC80 | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-014 | Vibration test instrument 电磁式振动试验机 | EV206VT650 | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-015 | Vertical Shock Test Instrument 机械式冲击试验机 | SKT50 | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-016-1 | Data Collector 数据采集器 | 34970A | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-019-1 | DC POWER 直流电源 | PSW80-40.5 | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-020-1 | Temperature & humidity monitoring intelligent terminal 温度&湿度智能监控终端 | ZL-TH10TP | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-021 | Electronic platform scale 电子台秤 | TCS-200KG | 2021-04-15 | 2022-04-14 | | | | |
| | CMC-YQ-022 | Electronic Balance 电子天平 | JCS-6=5103W | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-023 | Digital caliper 数显卡尺 | MNT-150 | 2021-04-15 | 2022-04-14 | | | | |
| | CMC-YQ-025 | Digital Multimeter 数字万用表 | FLUKE-17B+ | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-028 | Programmed DC Electronic Load 程控直流电子负载 | SJ8512B | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-029 | Timer 秒表 | XL-009A | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-031 | Battery Test System 电池测试系统 | RCDS-100V100A | 2021-04-15 | 2022-04-14 | | | | |
| \boxtimes | CMC-YQ-037 | Temperature and humidity barometer 温湿度气压表 | (980-1050)kPa | 2021-04-15 | 2022-04-14 | | | | |
| | ☑: Used equipment 使用设备 ☐: Unused equipment 未使用设备 | | | | | | | | |

□: Unused equipment 未使用设备

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

 $400\text{-}1668\text{-}320 \hspace{1.5cm} \text{info} @ \text{cmczj-lab.com} \hspace{1.5cm} \text{www.cmczj-lab.com} \hspace{1.5cm} 15 \hspace{0.1cm} / \hspace{0.1cm} 19$




Photos of Samples

样品照片



Picture 1. Front view of battery 图片 1. 电池组前视图




Picture 2. Back view of battery 图片 2. 电池组后视图

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101


400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 16 / 19







Picture 3. Front view of cell 图片 3. 电池前视图




Picture 4. Back view of cell 图片 4. 电池后视图


101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 17 / 19





Picture 5. Front view of Protection board 图片 5. 保护板前视图



图片 6. 保护板后视图

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 18 / 19



Important

注意事项

- 1. The test report is invalid if it is not affixed the official seal of the laboratory to it. 检测报告无本实验室公章(或检验检测专用章)无效。
- 2. Copies of the test report without the official seal of the laboratory are invalid. 复制检测报告未重新加盖本实验室公章(或检验检测专用章)无效。
- 3. It is forbidden to copy the test report partially without the written approval of the laboratory.

未经本实验室书面批准不得部分复制检测报告。

4. The test report is invalid without the signatures of Approver, Reviewer and Testing engineer.

检测报告无检测、审核、批准人签名无效。

- 5. The test report is invalid if it is blotted out.
 - 检测报告涂改无效。
- 6. Objections to the test report must be submitted to CMC Testing International (Shenzhen)
 Co., Ltd. within 15 days.

对检测报告若有<mark>异议,应于收到报告之日起十五天内向众检检验认证(</mark>深圳)有限公司提出。

- 7. The test report is valid for the tested samples only.
 - 本检测报告仅对检测样品负责。
- 8. As for the Verdict, "--" means "no need for judgment", "P" means "pass", "F" means "fail" and "N/A" means "not applicable".

判定栏中"--"表<mark>示"不需要判定",</mark>"P"表<mark>示"通过","F"表</mark>示"不通过","N/A"表示"不适<u>用"</u>。

*** End of Report ***

*** 报告结束 ***

Testing laboratory: CMC Testing International (Shenzhen) Co., Ltd.

检测单位: 众检检验认证 (深圳) 有限公司

Address: 101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China