



Welcome to SAI Flexi and PhotoPRINT 11 Cloud

Flexi and PhotoPRINT are some of the world's most advanced sign-making and digital printing software and we have added many new features based on your feedback.

Operating Systems Supported

- Windows 8 32-bit (x86) or 64-bit (x64) processor
- Windows 8 Pro 32-bit (x86) or 64-bit (x64) processor
- Windows 8 Enterprise (x86) or 64-bit (x64) processor
- Windows 7 Home Premium 32-bit (x86) or 64-bit (x64) processor
- Windows 7 Professional 32-bit (x86) or 64-bit (x64) processor
- Windows 7 Ultimate 32-bit (x86) or 64-bit (x64) processor
- Windows Vista Home Basic 32-bit (x86) or 64-bit (x64) processor
- Windows Vista Home Premium 32-bit (x86) or 64-bit (x64) processor
- Windows Vista Business 32-bit (x86) or 64-bit (x64) processor
- Windows Vista Ultimate 32-bit (x86) or 64-bit (x64) processor
- Installing on a Mac using parallels or bootcamp is not recommended and not supported

SAI Flexi and PhotoPRINT 11 Cloud

Build 2020

9 December 2013

New and Improved

- Added a button to the Add Setup dialog to test connection with TCPIP printer devices. This allows the software to verify the IP address that was entered.
- Improved the Barbieri SpectroPad implementation
- Added Support for Summa Barcode for S Class models
- General improvements in RIP speed
- Added Enhanced Stochastic. This dither allows for faster processing taking asymmetric resolutions into account. In general stochastic dithers are grainier than error based diffusions but they are more forgiving in case of clogged nozzles and printhead misalignments.
- Added an option to EPS and PDF export to include or exclude cut contour paths

Bug Fixes

- Crop marks are now printed correctly at very low resolutions
- Autosave now works correctly
- Send to Versaworks no longer crashes when cancelling a job containing transparencies
- Fixed a crash that would occur in color vectorization on certain files
- Shortkeys for grouping and ungrouping are now working correctly
- Fixed a crash that might occur after aligning and deselecting objects
- The cursor will now stay on the text after copy and pasting text
- Fixed an issue with certain casmate fonts that would not load
- The measure tool in Color Specs is now working correctly
- Fixed a crash that might occur on opening certain DXF files
- Fixed an out of memory error that might occur when editing complex gradients
- Braille : single letters now have the 2 dot annotation to indicate a single letter
- The web window will now stay closed after restarting the software

- Fixed an issue with Bezier vectorization on certain files
- End caps on stroke now export correctly to EPS format
- Fixed an issue with printing files containing cutcontour paths with the printer colormode was RGB
- Tiling preview in Job Properties is now correct for certain tiling jobs sent via RIP and PRINT
- Fill color on a contour cut path is now being applied when sending to RIP&PRINT
- Print and cut now match for rotated Multipage PDF files
- Fixed an issue with stripes in output for CMYKW modes at certain resolutions
- Creating presets in Italian now works correctly
- Improved super cell halftoning for angled screen
- Fix an issue printing PDF files with overprinted spot channels
- Media feed adjustments with values over 1.27 are now displayed correctly on the Mutoh VJ-1638EU and 1624EU
- Files containing a spot black color are now mapped correctly to a spot black channel on the Summa DC4sx

New Printer Drivers

- DGI : FTII-1804, FTII-1606
- GCC : JC-720E
- GerPrint : GP 4180W, GP 4180S, GP 4180TS
- Helitin: HT-PC900, HT-PC1200, HT-PC1600
- Mimaki : TS-500, TX-500
- Roland: VersaCAMM VS-640i, VersaCAMM VS-540i, VersaCAMM VS-300i
- SID Signs : SID Titan S
- Xenons : Xenons 4740ASW-Hybrid-5C, Xenons RICOH, Xenons X3260-SPT1020

New Cutter Drivers

- CUTTER : CUTTER-13, CUTTER-24, CUTTER-36, CUTTER-48, CUTTER-64, CUTTER-AutoMark
- Desay : CF1000-24, CF1000-40, CF1000-50, VC2000-24, VC2000-40, VC2000-50
- GCC: JC-720E
- Helitin : 1800BC+, 500ACI, 500BCI, 720ACI, 720BCI, 870ACI, 870BCI,1100ACI, 1100BCI, 1350ACI, 1350BCI, 1800ACI, 1800BCI, HT-PC900, HT-PC1200, HT-PC1600
- ICUTTER: S30, S60, S30-USB, S60-USB, V30, V60 PRO AutoMark, AutoMark, KOALA, KOALA AutoMark
- Roland: VersaCAMM VS-640i, VersaCAMM VS-540i, VersaCAMM VS-300i
- Teneth: AMU-12, AMU-24, AMU-48, AMU-59
- Vicsign: HW1080, HL330, HL630, HL900, HL1080, HL1200, HN330, HN630, HN900, HN1080, HN1200, HS330, HS630, HS900, HS1080, HWQ330-AML, HWQ630-AML, HWQ900-AML, HWQ1080-AML, HWQ1200-AML, HSQ330-AML, HSQ630-AML, HSQ900-AML, HSQ1080-AML, HSQ1200-AML
- Xenons : Xenons 4740ASW-Hybrid-5C

SAi Flexi Cloud and PhotoPRINT Cloud
Build 1987
23 August 2013

Bug Fixes/Improvements/Changes

- Fixed a license issue with switching between windows user accounts or inserting certain usb devices. This fix requires a license update when running the installer from previous builds
- Fixed an issue that would occur when Flexi and Production Manager are installed on two different computers and one of these computers enters into sleep mode
- Prepared Cloud Window to be ready for the implementation of a layout with folders
- Cloud Window now defaults open each time applications are opened on English systems
- Removed shift+click for cloud window
- Updated the icon for Cloud offline page
- In Designer/Editor, added "Proportional" checkbox to the Design Central Toolbar.
- Improved PDF file text and stroke import
- Fixed an issue with the lens effect causing pixelated edges
- Improved bitmap color vectorization
- Fixed an issue with Send to Versaworks for files containing transparencies
- Fixed an issue with opening files stored in a temporary folder with a location path of over 80 characters
- Improved the way preference manager loads factory default settings
- Added support for input icc profiles version 4
- Fixed an issue with ICC generation in RGB mode
- Fixed an issue with the Eye One IO reading the same chart twice
- Clicking the Save button twice in the Color Profiler window no longer closes the dialog
- Fixed an error in the RGB characterization chart for the HP Z6200
- Color profiler no longer generates an extra blank page for the ECI characterization chart
- Windows 8 support added for the Barbieri LFP
- Fixed the rendering of multi-channel images in PDF files where non-CMYK channel data might be missing
- Fixed a crash during ripping process when color adjustment with light channels was added
- Fixed a color mismatch between the Production Manager preview and the printout
- Fixed the "Ram free" labels in Production Manager
- Fixed an issue with previews of certain TIFF files
- Fixed a crash when opening certain .PSD files directly in Production Manager
- Fixed a crash when printing a tilemap
- Added offset options for Roland EGX engraver models
- Production Manager no longer crashes on exit after adding a .FS file
- Product Manager now reads the correct size of jpg files
- Fixed an issue that sometimes a white line would appear in textile step and repeat when printing with asymmetrical resolution
- Added rotate contour cut jobs before cutting
- Fixed spot black color printing (to print as process colors)
- Object Color Control now displays more precision for low CMYK values
- Fixed a memory issue when generating previews of job reports
- Added the option to print spot CMYK as process colors
- Fixed an issue when importing presets created on Flexi 8.0
- Added ability to skip importing input icc file from ptf file, if the icc already exists
- Fixed a bug passing driver options to spot color mapping swatches

- Improved the angled screen dithering
- Allowed maximum media length to exceed 4000 inches
- Fixed an uninitialized variable error for certain printers
- Reduced spacing around OPOS marks
- Added the function to save macros for the Summa S140T
- Fixed the color order for WWCMYKLCm color modes for Roland VS series
- Fixed an issue when screen printing on Epson T 5000
- The maximum media width of the Mutoh JV2638EU has now been increased to 2.653m/103.54in
- The Mutoh registration mark no longer has a gap in the border when resizing the job to more than 250%
- Improved the Mutoh ValueCut cutter options and registration marks
- Fixed an offset issue between print and cut jobs on the Mimaki CJV30
- Fixed an issue with the Mimaki usb port for multiple Mimaki printers connected to the same computer
- The Graphtec FC-8000 now applies Advance After Plot correctly
- Fixed an issue with the Graphtec FC-8000 one registration mark for each copy work flow
- Added Repeat Job for Cutting in Production Manager of Expert, Sign and Letter

New Printer Drivers

- AllWin AK-1024-UV14PL, AK-1024-UV14PL-7C, AK-1024-UV42PL, AK-1024-UV42PL-7C, AW-EP180W 8C, AW-EP180S 8C, AW-EP320S, AW-2-180S, AW-2-180W, AE-180T 4C, AE-180T 6C, AE-180T 8C.
- AW AE-S180 8C, YE-S180 8C, AW-EP180S, AW-EP180W, AK-1024-UV14PL, AK-1024-UV14PL-7C, AK-1024-UV42PL, AK-1024-UV42PL-7C, AE-180T 4C, AE-180T 6C, AE-180T 8C
- Blueprint Blueprint K512-35PL-4C, Blueprint K512-35PL-6C
- ColorJet, ColorJet DTR74i-8C, ColorJet DTDS74i-4C, ColorJet DTDS74i-6C
- CrystalJet CJ-F6308IISPT508GS, CJ-F5304IISPT508GS, CJ-UV3206SSPT1020_35PL, CJ-UV3208FSPT1020_35PL, CJ-180ASE, CJ-160ASW, CJ-UVF2605SPT508GS, CJ-UVS2607SPT508GS, CJ-UVS2607SPT1020-35pl, CJ-UVF2605SPT1020-35pl, CJ-F5308IISPT255GS, CJ-F6304IISPT508GS, CJ-F7304SPT508GS
- Design DS-K512-14PLUV, DS-XAARP15+UV, DS-XAAR-P15 4C, DS-XAAR-P15 6C
- Digital Vision Lynx 250FB_UV, Lynx 160E (4colour), Lynx 160SE (6colour)
- Docan Docan-UV1525, Docan-UV2512, Docan-UV2518, Docan-UV2030, Docan-UV2510, Docan-UV3310, Docan-UV5200, Docan-M2, Docan-M6, Docan-M8, Docan-M10
- Fei Young Union FY-UV2508S, FY-3208F_Q, FY-1308L, FY-2308TX
- F-H Union FH-3204K-14PL, FH-3206K-14PL, FH-3208K-14PL, FH-3204K-42PL, FH-3206K-42PL, FH-3208K-42PL, FH-3204P-15PL, FH-3208P-15PL
- Galaxy UD-1812TXLB-4C, UD-1812TXLB-8C
- GCC GCC JC-240E, GCC JC-540E, GCC JC-640E
- GongZheng GongZheng RocketJet_4C, GongZheng StormJet I_4C, GongZheng RocketJet_4C-UV
- HiJet HJ-Konica512-42PL 4C, HJ-Konica512-35PL 4C, HJ-Konica512-14PL 4C, HJ-Polaris512-15PL 4C, HJ-Polaris512-35PL 4C, HJ-Polaris512UV-15PL 4C, HJ-Polaris512UV-35PL 4C, HJ-E6184-C, HJ-E6080UV
- Human Digital HM E-JET1800T, HM XUV-Jet KM1024 MH, HM XUV-Jet KM1024 SH, HM KE-JET3200
- Inwear Inwear-4C DYE, Inwear-4C ECO, Inwear-6C DYE, Inwear-6C ECO, Inwear-6C-2 DYE, Inwear-6C-2 ECO, Inwear-8C
- Jetrix JETRIX 2030FRK, JETRIX 1212FK, JETRIX 2513FQ, JETRIX 2513RQ, JETRIX 3015FQ
- JinHengFeng JHF KM512-240, JHF CE8-600, JHF CE8-720, JHF P20-KM-8C
- Lecai LC-EasyJet-15W1, LC-EasyJet-15W2

ULTRA2000H14, ULTRA2000H16, ULTRA3000, ULTRA3000 NEW, ULTRA SKY128-H12, ULTRA SKY128-H12 NEW, ULTRA SKY128-H16, ULTRA SKY128-H16 NEW, ULTRA NOVAH8 NEW, ULTRA NOVAH8 OLD, ULTRA PolarisH4-150-15PL, ULTRA PolarisH4-150-35PL, ULTRA PolarisH4-180-15PL, ULTRA PolarisH4-180-35PL, ULTRA860+, Wit2000H8 Fly, Wit2000H12 Fly, Wit2000H16 Fly, ULTRA Polaris UV H6, ULTRA9100-UV, ULTRA9100-ECO, ULTRA9100-W, ULTRA9100-DX7-ECO, ULTRA9100-4H, ULTRA9000-TX-4C, ULTRA9000-TX-6C, ULTRA9000-TX-8C, Xenons FlatBed, Xenons 4740 8C, Xenons SPT508, Xenons SPT1020, Xenons X3260-SPT508

- YASELAN YSL-K8-S-35PL 6C, YSL-K8-C-35PL 6C, YSL-K8-S-14PL 6C, YSL-K8-C-14PL 6C, YSL-K8-S-42PL 6C, YSL-K8-C-42PL 6C, YSL-128-C 6C, YSL-S1, YSL-K512-D4C
- ZhongYe ZY-XR128 4C, ZY-XR500 4C, ZY-XR128 6C, ZY-XR500 6C, ZY-XR382 4C, ZY-SK255 4C, ZY-SK510 4C, ZY-HI-JETINK 4C, ZY-XR382 6C, ZY-SK255 6C, ZY-SK510 6C, ZY-HI-JETINK 6C, ZYUV-SK255 5C, ZYUV-SK510 5C, ZYUV-SK255 7C, ZYUV-SK510 7C, ZYUV-SK255 8C, ZYUV-SK510 8C
- ZIER ZIER SJ-740

New Cutter Drivers

- Art Creation ART-1700P
- Cotek CTK-AML, CTK-AMU
- CutterPros Servo 6400, Contour 6400, CR-630G, CR-1200G
- Foison C60 PRO AutoMark, KOALA, KOALA AutoMark
- GCC GCC JC-240E, GCC JC-540E, GCC JC-640E
- Graphtec FC8600
- Helitin 500A, 500AC, 500BC+, 500B, 720AC, 720BC+, 720B, 720BC, 870AC, 870BC+, 1100A, 1100AC, 1100BC+, 1100B, 1350A, 1350AC, 1350BC+, 1350B, 1800A, 1800AC, 1800BC+, 1800B, 1800BC
- JINKA GC-12, GC-24, GC-30, GC-48, JK-240, JK-330, JK-365
- RF (GER) EH-365, EH-721, EH-871, EH-1101, EH-1351, XL-24, XL-48
- SAGA SAGA-1750I, SAGA-1750II, SAGA-AutoMark
- SECABO SECABO-C30IV, SECABO-C60IV, SECABO-C120IV, SECABO-C160IV, SECABO-S60, SECABO-S120, SECABO-S160
- Vinyl Express Enduracut LX, R53, QE-6000
- Xenons Xenons 4740ASW-Hybrid

SAi Flexi Cloud and PhotoPRINT Cloud

Build 1921

1 Mar 2013

Bug Fixes/Improvements

- Handle mixed units in the calculator
- Improved Installation Manager with better error reporting and user messages
- Fixed poll size for cut dialog
- Fix for Barbieri meter (transmissive Mode)
- Fix errors rendering Asian text in color swatch for ink limit and spot color mapping
- Fix a bug that contour only jobs from RIP and Print dialog cut only once even when repeat count is set to more than 1
- Fix a bug layout multiple copies on dual rolls.
- Fixed generate variable underbase white based on density
- Added Handle 8+ channel Multi-Ink-Limit
- Fix a bug printing red spot color on Summa DC4

- Fix a bug display all objects when the document has a lot of bitmaps
- Change the cloud message box to an alert window that fades away automatically
- Improved speed of rendering of bitmaps of spot channels
- Fix a bug printing PANTONE® color gradients in RGB color mode
- Added option in Color Profiling Multi-Ink-Limit page to use Total-Ink-Limit for Multi-Ink-Limit
- Added import of linearization data in text format
- Changed Multi-Ink-Limit verification chart to go up to 100%
- Fix a buffer overrun initializing print spool record
- Fix localization issue with ICC media profiles that have localized characters
- Fix EPS files with contour cut paths not working when file folder has localization characters

New Printer Drivers

- Mutoh VJ 2638 and 2638EU, RJ-900X, RJ-901X, VJ-1617H
- Mimaki SWJ-320S, Mimaki TS Series
- HP DesignJet T Series, DesignJet L26100
- Epson SC-F Series, SC-B Series

New Cutter Drivers

- None

SAi Flexi Cloud and PhotoPRINT Cloud Build 1907 31 Jan 2013

New and Improved Features

- Window 8 Compatibility
- Cloud Software Licensing
- Cloud Software Download
- Archive to Cloud in Designer/Editor
- SAi Cloud Web Window to Designer/Editor/ProductionManager
 - Cloud File Storage Tool in Cloud Window
 - FlexiQuote Job Quoting Tool to Cloud Window
 - Production Summary Reports in Cloud Window
 - Web links to useful information and support
- Open and Edit Transparency Layers in Designer/Editor
- Spot color controls added to the color adjustment tool in Production Manager
- Ability in Production Manager to map named spot colors to process and spot ink channels
- Updated PANTONE+ Spot Color Library (130 New Colors)
- Step-and-Repeat for Textile (Add-on Option)

Bug Fixes

- Overall stability improvements that reduce crashes when using software for long periods of time
- Designer can now handle files larger than 4GB. To save for use in older versions, use Export
- Updated PDF engine with various bug fixes
- Added poll size for hybrid machines
- Fixed issues of tiff files printing only black
- Fixed/improved grayscale printing
- Fixed rare contour cuts issues on hybrid machines

- Other miscellaneous bug fixes

New Printer Drivers

- Canon imagePROGRAF iPF760, iPF765, iPF6400, iPF6450, iPF8400, iPF9400, iPF9400S, iPF6410, iPF6460, iPF8410, iPF9410, iPF9410S
- Epson SC-S30670, SC-S30600, SC-S30610, SC-S30680, SC-S30650, SC-S70600, SC-S70610, SC-S70650, SC-S70670, SC-S50600, SC-T3000, SC-T5000, SC-T7000
- Mimaki JV400-130LX, JV400-160LX, JV400-130SUV, JV400-160SUV
- Mutoh VJ-1624W, VJ-1638W
- Neolt XJet
- Roland VersaArt RA-640, VersaArt RE-640, Hi-Fi JET FH-740, SOLJET PRO 4 XR-640

New Cutter Drivers

- GCC Expert-52, Expert-52 LX
- Graphtec FC4500-50, FC4510-60, CE6000-40, CE6000-60, CE6000-120
- Mutoh ValueCut VC-600, ValueCut VC-1300, ValueCut VC-1800
- Roland SOLJET PRO 4 XR-640
- Summa F Series
- Zund G3 M-1600, G3 M-2500, G3 L-2500, G3 L-3200, G3 XL-1600, G3 XL-3200, G3 2XL-1600, G3 2XL-3200, G3 3XL-1600, G3 3XL-2500, G3 3XL-3200Qualitat 32HS